IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) A light-emitting element comprising:
- a first layer containing a light-emitting material;
- a second layer containing an organic compound and an electron-supplying material;
- a third layer including a transparent conductive film; and
- a fourth layer containing a hole-transporting medium,

wherein the first layer, the second layer, the third layer and the fourth layer are sandwiched between a first electrode and a second electrode,

wherein the first layer, the second layer, the third layer, the fourth layer, and the second electrode are provided sequentially over the first electrode,

wherein the fourth layer is in contact with the second electrode,

wherein the second electrode has a layer containing contains a metal, and

wherein the transparent conductive film comprises a material selected from the group consisting of tin oxide, indium oxide, zinc oxide, zinc oxide containing gallium, and molybdenum oxide.

- 2. (Withdrawn-Currently Amended) A light-emitting element comprising:
- a first layer containing a light-emitting material;
- a second layer containing an organic compound and an electron-supplying material;
- a third layer including a transparent conductive film; and
- a fourth layer containing a hole-transporting medium,

wherein the first layer, the second layer, the third layer and the fourth layer are sandwiched between a first electrode and a second electrode,

wherein the first layer, the second layer, the third layer, the fourth layer, and the second electrode are provided sequentially over the first electrode,

wherein the fourth layer is in contact with the second electrode,

wherein the second electrode has a layer containing contains a metal, and

wherein the transparent conductive film is a metal which is formed thin enough to have a light transparency.

3. (Canceled)

organic compound.

- 4. (Previously Presented) The light-emitting element according to claim 1, wherein the organic compound contained in the second layer is an electron-transporting
- 5. (Previously Presented) The light-emitting element according to claim 1, wherein the organic compound contained in the second layer is a metal complex having a ligand including a π-conjugated skeleton.
- 6. (Currently Amended) The light-emitting element according to claim 1, wherein the electron-supplying material is <u>an</u> alkaline metal, <u>an</u> alkaline earth metal, or <u>a</u> rare-earth metal.

- 7. (Currently Amended) The light-emitting element according to claim 1, wherein the electron-supplying material is <u>a</u> metal selected from any one or more of Li, Cs, Mg, Ca, Ba, Er, and Yb.
- 8. (Withdrawn-Currently Amended) The light-emitting element according to claim 1 or 2, wherein the fourth layer is a layer-containing contains a material having [[a]] an acceptor level.
- 9. (Withdrawn-Currently Amended) The light-emitting element according to claim 1 or 2, wherein the fourth layer is a layer containing contains a hole-transporting material including an inorganic compound.
 - 10. (Withdrawn) The light-emitting element according to claim 9,

wherein the hole-transporting material including the inorganic compound is a compound selected from any one or more of vanadium oxide, chromium oxide, molybdenum oxide, cobalt oxide, and nickel oxide.

- 11. (Withdrawn-Currently Amended) The light-emitting element according to claim 1 or 2, wherein the fourth layer is a layer containing contains a hole-transporting material including an organic compound.
 - 12. (Withdrawn-Currently Amended) The light-emitting element according to claim 11, wherein the hole-transporting material is an organic compound having an aromatic amine

skeleton.

- 13. (Currently Amended) The light-emitting element according to claim 1, wherein the fourth layer is a layer containing a material in which contains an organic compound doped with an electron-accepting material is doped to an organic compound.
 - 14. (Previously Presented) The light-emitting element according to claim 13, wherein the organic compound is a hole-transporting material.
- 15. (Original) The light-emitting element according to claim 14, wherein the hole-transporting material is an organic compound having an aromatic amine skeleton.
 - 16. (Currently Amended) The light-emitting element according to claim 13, wherein the electron-accepting material is a metal oxide.

17. (Original) The light-emitting element according to claim 13,

- wherein the electron-accepting material is a compound selected from any one or more of molybdenum oxide, vanadium oxide, and rhenium oxide.
- 18. (Currently Amended) A light-emitting device comprising the light-emitting element according to claim 1[[,]] and a means for driving the light-emitting element.

- 19. (Previously Presented) An electronic device of which display portion is equipped with the light-emitting element according to claim 1.
 - 20. (Currently Amended) A light-emitting element comprising:
 - a first layer containing a light-emitting material;
 - a second layer containing an organic compound and an electron-supplying material;
 - a third layer including a transparent conductive film comprising a metal; and
 - a fourth layer containing a hole-transporting medium,

wherein the first layer, the second layer, the third layer and the fourth layer are sandwiched between a first electrode and a second electrode,

wherein the first layer, the second layer, the third layer, the fourth layer, and the second electrode are provided sequentially over the first electrode, [[and]]

wherein the fourth layer is in contact with the second electrode, and wherein the second electrode has a layer containing contains a metal.

- 21. (Currently Amended) A light-emitting element comprising:
- a first layer containing a light-emitting material;
- a second layer containing an organic compound, an electron-supplying material and a metal oxide;
 - a third layer including a transparent conductive film comprising a metal; and
 - a fourth layer containing a hole-transporting medium,

wherein the first layer, the second layer, the third layer and the fourth layer are sandwiched between a first electrode and a second electrode.

wherein the first layer, the second layer, the third layer, the fourth layer, and the second electrode are provided sequentially over the first electrode, [[and]]

wherein the fourth layer is in contact with the second electrode, and wherein the second electrode has a layer containing contains a metal.

- 22. (Currently Amended) A light-emitting element comprising:
- a first layer containing a light-emitting material;
- a second layer containing an organic compound, an electron-supplying material and a metal oxide;
 - a third layer including a transparent conductive film; and
 - a fourth layer containing a hole-transporting medium,

wherein the first layer, the second layer, the third layer and the fourth layer are sandwiched between a first electrode and a second electrode,

wherein the first layer, the second layer, the third layer, the fourth layer, and the second electrode are provided sequentially over the first electrode,

wherein the fourth layer is in contact with the second electrode,

wherein the second electrode has a layer containing contains a metal, and

wherein the transparent conductive film comprises a material selected from the group consisting of tin oxide, indium oxide, zinc oxide, zinc oxide containing gallium, and molybdenum oxide.

23. (Currently Amended) The light_emitting element according to claim 21 or 22, wherein the metal oxide is one selected from the group consisting of molybdenum oxide,

vanadium oxide, rhenium oxide, zinc oxide, tin oxide, and titanium oxide.

24. (Currently Amended) The light_emitting element according to any one of claims 1, 21 and 22,

wherein the light_emitting material is a triplet exited light-emitting material.

25. (Currently Amended) The light_emitting element according to any one of claims 1, 21 and 22,

wherein the metal contained in the layer of the second electrode is a reflective metal.